

DEPENDENT RESURVEY OF A PORTION OF
THE SUBDIVISIONAL LINES,
T. 33 N., R. 55 E., MDM, NEVADA

CHAINS	<p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 33 N., R. 55 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of the Survey Executed by H. B. Maxson, U.S. Deputy Surveyor, in 1896.</p> <hr/> <p>From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp.</p> <p>N. 0° 35' E., bet. secs. 32 and 33.</p> <p>Over rolling land, through scattered sagebrush, native grass and juniper.</p>	
21.30	Ridge, bears ENE. and WSW.	
39.87	<p>The $\frac{1}{4}$ sec. cor. of secs. 32 and 33, monumented with a redwood post, 3 ins. square, 36 ins. long, with illegible scribe marks visible, loosely set in a mound of earth.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T33N R55E $\frac{1}{4}$ S 32 S 33 1987</p> <p>Reset the original wooden post and set a wooden post, 4 ins. square, 4 ft. long, alongside the stainless steel post.</p> <hr/> <p>N. 0° 08' E., beginning new measurement.</p> <p>Over rolling land.</p>	
36.60	Ridge, bears WNW. and ESE.	
40.44	<p>The cor. of secs. 28, 29, 32 and 33, monumented with a redwood post, 3 ins. square, 36 ins. long, mkd. with 1 notch on S. edge and 4 notches on E. edge, wired to the bottom of a steel fence post, $5\frac{1}{2}$ ft. long, firmly set 12 ins. in the ground.</p> <p>At the corner point</p>	