SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, TOWNSHIP 5 SOUTH, RANGE 55½ EAST, MDM, NEVADA

CHAINS

The original cor. of secs. 13, 18, 19 and 24, T. 5 S., Rs. 55 and 56 E., monumented with a limestone, 14X10X5 ins., plainly mkd. with 3 notches on the N. and S. edges, firmly set in a mound of stone, bears S. 1 '43' E., 34.21 chs. dist. This corner now becomes an angle point bet. sec. 16, T. 5 S., R. $55\frac{1}{2}$ E. and sec. 19, T. 5 S., R. 56 E.

At the corner point

Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

AP T5S R55½E R56E S 16|S 19

1988

Deposit the original cornerstone alongside the stainless steel post and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous.
Soil, rocky clay loam.
Undergrowth, Brigham tea, cacti, rabbitbrush, sagebrush and native grass.
Timber, juniper and pinon pine.

DEPENDENT RESURVEY OF MINERAL SURVEY NO. 56 B, STANDARD MILLSITE, T. 5 S., R. 55½ E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by U.S. Deputy Mineral Surveyor A. D. Rock in 1882.

Cor. No. 1 of M.S. No. 56 B, Standard Millsite, monumented with the decayed remains of a wooden post, lying loose on a deeply embedded mound of stone.

At the corner point

Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 16 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.

T5S R55½E MS 56B STA-1

1988

Deposit the decayed remains of the original wooden post alongside the stainless steel post and raise a mound of stone, 3 ft. base, 2 ft. high, SE. of cor.