

181

SURVEY OF A PORTION OF THE SOUTH BOUNDARY,  
TOWNSHIP 6 SOUTH, RANGE 56 EAST, MDM, NEVADA

CHAINS	
80.00	<p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., on solid rock over a cross (X), in a mound of stone, 4 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T6S R56E S 36 ¼ S T T7S</p> <p style="text-align: center;">1988</p> <p>Point for the cor. of secs. 1, 2, 35 and 36, NORTH, 0.8 lks. from the tangent.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 10 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T6S R56E S 35   S 36 S 2   S 1 T7S</p> <p style="text-align: center;">1988</p> <p>Set a steel fence post, 5½ ft. long, alongside the stainless steel post.</p> <p>Land, rolling. Soil, sandy clay loam and rocky. Undergrowth, greasewood, sagebrush, scattered Joshua trees and native grass.</p> <hr/> <p style="text-align: center;">SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 6 S., R. 56 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>N. 0° 01' W., bet. secs. 35 and 36.</p> <p>Over rolling land.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T6S R56E ¼ S 35   S 36</p> <p style="text-align: center;">1988</p> <p>Set a steel fence post, 5½ ft. long, alongside the stainless steel post.</p>