

DEPENDENT RESURVEY OF THE WEST BOUNDARY,  
T. 16 S., R. 65 E., MDM, NEVADA

CHAINS		
	T16S R64E R65E $\frac{1}{4}$ S 12 S 7  1986	
44.75	Navajo-McCullough transmission line, parallels right-of-way.	
46.90	Improved gravel road, parallels transmission line.	
47.10	Wash, 30 lks. wide, 3 ft. deep, drains SE.	
49.00	Transmission line, parallels right-of-way.	
55.28	Power line, parallels right-of-way.	
62.20	Improved gravel road, parallels power line.	
62.64	Reid Gardner-Pecos transmission line, parallels right-of-way.	
79.406	Point for the cor. of secs. 1, 6, 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.  Set an aluminum post, 30 ins. long, 2½ ins. diam., 10 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with aluminum cap mkd.	
	T16S R64E R65E S 1 S 6 S 12 S 7  1986	
	N. 0° 07.0' W., bet. secs. 1 and 6.  Over rolling land, covered with scattered chaparral, creosote and cacti.	
15.854	Intersect Utility Corridor right-of-way, bears S. 45° 57.4' W. and N. 45° 57.4' E.  Set an aluminum post, 30 ins. long, 2½ ins. diam., 12 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with aluminum cap mkd.	
	WP S 1 S 6  1986	
34.10	Wash, 20 lks. wide, 2 ft. deep, drains SE.	
39.703	Point for the ¼ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.	