

SURVEY OF THE SUBDIVISION OF SECTION 6,
T. 19 S., R. 61 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	Over nearly level land, through scattered creosote and shadscale.
40.903	The center $\frac{1}{4}$ sec. cor. of sec. 6.
79.00	Enter wash area, drains SSE.
80.256	The $\frac{1}{4}$ sec. cor. of secs. 1 and 6, on the W. bdy. of the Tp.
<hr/> <p style="text-align: center;">SURVEY OF THE SUBDIVISION OF SECTION 7, T. 19 S., R. 61 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
	From the $\frac{1}{4}$ sec. cor. of secs. 7 and 18.
	N. $0^{\circ} 15.3'$ W., along the N-S center line of section 7.
	Over nearly level land, through scattered creosote and shadscale.
40.655	Point for the center $\frac{1}{4}$ sec. cor. of section 7, at intersection with the E-W center line of section 7.
	Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 26 ins. in the ground, with brass cap mkd.
	T19S R61E C $\frac{1}{4}$ S 7 1990
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the stainless steel post.
60.983	Point for the C-N $\frac{1}{16}$ sec. cor. of sec. 7.
	Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 26 ins. in the ground, with brass cap mkd.
	C N $\frac{1}{16}$ S 7 C 1990
	Raise a mound of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.