

424

TOWNSHIP 19 SOUTH, RANGE 60 EAST, MDM, NEVADA

CHAINS	<p>The vertical angles of measurements made on the slope were ascertained with a theodolite in good adjustment; the horizontal equivalents only are entered in the field notes.</p> <p>The geographic position for the southeast corner of section 24, is at latitude $36^{\circ} 16' 35.9''$ N. and longitude $115^{\circ} 12' 23.4''$ W., as calculated along section lines from the southeast corner of section 19, T. 19 S., R. 61 E., the position of which was determined in 1990 under Group No. 683.</p> <p>The mean magnetic declination was found to be 15° E.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY, T. 19 S., R. 60 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by R. H. Woods and W. H. Myrick, U.S. Deputy Surveyors in 1881.</p> <hr/> <p>From the cor. of Tps. 18 and 19 S., Rs. 60 and 61 E., monumented with a stainless steel post, $2\frac{1}{2}$ ins. diam., firmly set and exposed 4 ins. above ground, with brass cap mkd. as described in the field notes of T. 19 S., R. 61 E., executed under Group No. 683.</p> <p>N. $89^{\circ} 19.1'$ W., bet. secs. 1 and 36.</p> <p>Over nearly level land, through scattered shadscale and creosote brush.</p> <p>39.976 The $\frac{1}{4}$ sec. cor. of secs. 1 and 36, monumented with a metal cap, cemented in a concrete monument, 4 ins. diam., firmly set and exposed 4 ins. above ground, mkd. N $\frac{1}{4}$ RLS 1624. This metal cap is accepted as a careful and faithful reestablishment of the position of the original corner. Remark the metal cap to read as follows:</p> <div style="text-align: center;"> <p>BLM T18S R60E S 36 $\frac{1}{4}$ $\frac{S}{T}$ T19S</p> <p>1990 RLS 1624</p> </div> <hr/>
--------	--