## DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,

T. 17 S., R. 64 E., MDM, NEVADA CHAINS From which The standard  $\frac{1}{4}$  sec. cor. of sec. 31, T. 16 S., R. 64 E., monumented with an iron post, 1 in. diam., firmly set showing 6 ins. above ground, with brass cap mkd. as described in the field notes of the independent resurvey of the Fourth Standard Parallel South, through Range 64 East, executed under Group No. 237, bears WEST, 14.05 chs. dist. Hereafter, this cor. will function as an amended monument. Add the marks "AM 1987" to the brass cap. SURVEY OF THE SUBDIVISION OF SECTION 7, T. 17 S., R. 64 E., MOUNT DIABLO MERIDIAN, NEVADA. From the  $\frac{1}{4}$  sec. cor. of secs. 7 and 18, monumented with an iron post, 1 in. diam., firmly set showing 6 ins. above ground, with brass cap mkd. as described in the field notes of the independent resurvey of the subdivisional lines, executed under Group No. 237. Remark the brass cap to read as follows: T17S R64E 1987 1938 N. 0° 02' W., on the N-S center line of sec. 7. Over nearly level land, covered with scattered chaparral, creosote and cacti. Point for the center  $\frac{1}{4}$  sec. cor. of sec. 7, at intersection with the E-W center line. 39.99 Set a stainless steel post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd. T17S R64E C14 S 7 1987 Set a steel fence post,  $5\frac{1}{2}$  ft. long, alongside the stainless steel post. The N  $\frac{1}{4}$  sec. cor. of sec. 7, T. 17 S., R. 64 E., monumented with an iron post, 1 in. diam., firmly set 68.93

N. 89° 57' W., on the E-W center line of sec. 7.

From the  $\frac{1}{4}$  sec. cor. of secs. 7 and 8.

showing 10 ins. above ground with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the Fourth Standard Parallel South, (surveyed in 1938), through Range 63 East, executed concurrently under this same Group.