

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,  
T. 34 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
40.875	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 8, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T34N R32E S 5 <math>\frac{1}{4}</math> S 8</p> <p style="text-align: center;">1988</p> <p>Set a steel fence post, <math>5\frac{1}{2}</math> ft. long, alongside the stainless steel post and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p>
58.10	Single pole power line, bears N. $40^\circ$ W. and S. $40^\circ$ E.
81.75	The cor. of secs. 5, 6, 7 and 8.
24.40	S. $88^\circ 38'$ W., bet. secs. 6 and 7.
36.70	Over nearly level land, covered with scattered sagebrush and native grass.
24.40	Wash, 10 lks. wide, 1 ft. deep, drains ENE.
36.70	Improved road, bears NNW. and SSE.
40.83	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 6 and 7, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T34N R32E S 6 <math>\frac{1}{4}</math> S 7</p> <p style="text-align: center;">1988</p> <p>Set a steel fence post, <math>5\frac{1}{2}</math> ft. long, alongside the stainless steel post and raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.</p>