

SURVEY OF THE SUBDIVISIONAL LINES,  
T. 34½ N., R. 32 E., MDM, NEVADA

CHAINS	
	<p>The point for the N ¼ sec. cor. of sec. 36, is NORTH of the ¼ sec. cor. of secs. 1 and 36, Tps. 34 and 34½ N., Rs. 32 E. and on the S. bdy. of sec. 31, T. 35 N., R. 32½ E.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T35N R32½E</p> <p style="text-align: center;"> <math display="block">\begin{array}{r} \frac{1}{4} \text{ S } 36 \\ \hline \text{T34½N R32E} \end{array}</math> </p> <p style="text-align: center;">1988</p> <p>Set a steel fence post, 5½ ft. long, alongside the stainless steel post.</p> <p>From this corner, the S ¼ sec. cor. of sec. 31, T. 35 N., R. 32½ E., hereinbefore described, bears EAST, 17.25 chs. dist.</p>
26.20	<p>From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., monumented with a stainless steel post, 2½ ins. diam., firmly set, exposed 4 ins. above the ground, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 34 N., R. 32 E., executed concurrently under this same Group.</p> <p>NORTH, bet. secs. 34 and 35.</p> <p>Over nearly level land, through scattered greasewood and sagebrush.</p> <p>Intersect the S. bdy. of sec. 35, T. 35 N., R. 32 E.</p> <p>Point for the closing cor. of secs. 34 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T35N R32E</p> <p style="text-align: center;">S 35</p> <p style="text-align: center;"> <math display="block">\begin{array}{r} \text{S } 34 \text{   S } 35 \\ \hline \text{C C} \\ \text{T34½NR32E} \end{array}</math> </p> <p style="text-align: center;">1988</p>