TOWNSHIP 35 NORTH, RANGE 32 EAST, MDM, NEVADA

CHAINS

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, the Special Instructions dated September 4, 1987 and the Supplemental Special Instructions dated June 16, 1988.

The direction of the lines of this survey were determined by azimuth taken from U.S.G.S. triangulation station "SC CC 1NE/34N/31E", identical with the NE. corner of T. 34 N., R. 31 E. The directions of the lines were carried forward throughout the township by sustained angulation.

The vertical angles of measurements made on the slope were ascertained with a theodolite in good adjustment; the horizontal equivalents only are entered in the field notes.

The geographic position of the southeast corner of the township is at latitude 40°51'22.9" N. and longitude 118°19'43.0" W. (NAD 27) as calculated along section lines from U.S.G.S. triangulation station "ALPHA" located in section 13, T. 34 N., R. 32 E.

The mean magnetic declination was found to be 16° E.

DEPENDENT RESURVEY OF THE SOUTH BOUNDARY, T. 35 N., R. 32 E., MOUNT DIABLO MERIDIAN NEVADA

Reestablishment of the Resurvey Executed by H. B. Maxson, U. S. Deputy Surveyor, in 1888.

The cor. of Tps. 34 and 35 N., Rs. 32 and 33 E., monumented with a redwood post, 2 ins. square, 30 ins. long, mkd. with 6 notches on the N., S., E. and W. edges, with illegible scribes marks visible, loosely set in a mound of earth. Hereafter this corner will refer to Tps. 35 N., Rs. 32 and 32½ E. only.