

SURVEY OF THE SUBDIVISIONAL LINES,
TOWNSHIP 35 NORTH, RANGE 32½ EAST, MDM, NEVADA

CHAINS

Set a stainless steel post, 28 ins. long, 2½ ins. diam.,
24 ins. in the ground, with brass cap mkd.

T35N	T35N
R32½E	R33E
CC S 6	S 6
S 7	

1988

Set a steel fence post, 5½ ft. long, alongside the stainless
steel post.

From this corner, the W ¼ sec. cor. of sec. 6, T. 35 N.,
R. 33 E., monumented with a stainless steel post, 2½ ins.
diam., firmly set showing 4 ins. above ground, with brass cap
mkd. as described in the field notes of T. 35 N., R. 33 E.,
executed concurrently under this same Group, bears
N. 1° 08' W., 15.71 chs. dist.

From this same corner, the cor. of secs. 6 and 7, T. 35 N.,
R. 33 E., monumented with a wood hub set in the gravel of the
railroad bed on the north side of the Western Pacific railroad
track, as described in the field notes of T. 35 N., R. 33 E.,
executed concurrently under this same Group, bears
S. 1° 08' E., 25.07 chs. dist.

Land, alkali flat.

Soil, silty alkali.

Undergrowth, shadscale, greasewood, halogeten and native grass.

Point for the E ¼ sec. cor. of secs. 7, is at midpoint bet.
the closing corners and on the W. bdy. of sec. 7, T. 35 N.,
R. 33 E.

Set a stainless steel post, 28 ins. long, 2½ ins. diam.,
24 ins. in the ground, with brass cap mkd.