

SURVEY OF THE SUBDIVISIONAL LINES,  
TOWNSHIP 35½ NORTH, RANGE 33 EAST, MDM, NEVADA

CHAINS

Set a steel fence post, 5½ ft. long, alongside the stainless steel post.

From this corner, the standard ¼ sec. cor. of sec. 32, T. 36 N., R. 33 E., hereinbefore described, bears S. 89° 23' W., 19.71 chs. dist.

Land, alkali flat.

Soil, silty alkali.

Undergrowth, shadscale, greasewood and native grass.

---

Point for the N ¼ sec. cor. of sec. 32, is at midpoint bet. closing corners and on the S. bdy. of sec. 33, T. 36 N., R. 33 E.

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T36N R33E

¼ S 32  
T35½N R33E

1988

Set a steel fence post, 5½ ft. long, alongside the stainless steel post.

From this corner, the standard cor. of secs. 32 and 33, T. 36 N., R. 33 E., hereinbefore described, bears N. 87° 45' W., 19.395 chs. dist.

---

Point for the N ¼ sec. cor. of sec. 31, is at the intersection of the Seventh Standard Parallel North with a line NORTH of the ¼ sec. cor. of secs. 6 and 31.

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.