

SURVEY OF THE SUBDIVISIONAL LINES,
T. 34 N., R. 33½ E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

From this corner, the E ¼ sec. cor. of sec. 12, T. 34 N., R. 33 E., hereinbefore described, bears N. 1° 39' W., 16.05 chs. dist.

From this same corner, the cor. of secs. 12 and 13, T. 34 N., R. 33 E., hereinbefore described, bears S. 1° 39' E., 27.28 chs. dist.

Point for the W ¼ sec. cor. of sec. 1, is WEST of the E ¼ sec. cor. of sec. 1 and on the E. bdy. of sec. 1, T. 34 N., R. 33 E.

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 12 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.

T34N T34N
R33E|R33½E
|¼
|S 1

1987

From this corner, the cor. of secs. 1 and 12, T. 34 N., R. 33 E., hereinbefore described, bears S. 5° 01' E., 19.87 chs. dist.

From this same corner, the E ¼ sec. cor. of sec. 1, T. 34 N., R. 33 E., monumented with a stainless steel post, 2½ ins. diam., firmly set in a mound of stone, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 34 N., R. 33 E., executed concurrently under this same Group, bears N. 5° 01' W., 20.08 chs. dist.

Point for the W 80 1/16 sec. cor. of sec. 1, is WEST of the E 80 1/16 sec. cor. of sec. 1, and on the E. bdy. of sec. 1, T. 34 N., R. 33 E.

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.