

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,
TOWNSHIP 34 NORTH, RANGE 51 EAST, MDM, NEVADA

CHAINS	DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY, T. 34 N., R. 51 E., MOUNT DIABLO MERIDIAN, NEVADA
	<hr/> <p>Reestablishment of a Portion of the Survey Executed by A. J. Hatch and J. H. Eaton, U.S. Deputy Surveyors in 1871, and the Retracement Executed by U.S. Surveyor S. P. Stewart and U.S. Transitmen R. W. Riley and J. C. Clark in 1914-1918.</p> <hr/>
	<p>From the cor. of secs. 1, 2, 35 and 36, monumented with an iron post, 3 ins. diam., firmly set exposed 12 ins. above ground, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 34 N., R. 51 E., executed under Group No. 27.</p>
	<p>N. 89° 37' W., bet. secs. 2 and 35.</p>
	<p>Over rolling land, through scattered sagebrush and native grass.</p>
19.00	Fence, bears WNW. and ESE.
22.20	Fence, bears NNE. and SSW.
28.30	Improved gravel road, bears NE. and SW.
40.38	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 35, at proportionate distance; there is no remaining evidence of the original corner.
	<p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T35N R51E S 35 $\frac{1}{4}$ — S 2 T34N 1988</p>
	<p>Set a steel fence post, 5$\frac{1}{2}$ ft. long, alongside the stainless steel post.</p>
	<p>From this corner, the NE. cor. of a mill building, bears S. 32$\frac{1}{4}$° W., 24.38 chs. dist.</p>
	<p>From this same corner, the NE. cor. of a metal building, bears S. 42$\frac{1}{2}$° W., 13.03 chs. dist.</p>