

122

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,  
T. 38 N., R. 59 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">T39N R59E S 35 <math>\frac{1}{4}</math> ——— S 2 T38N</p> <p style="text-align: center;">1992</p> <p>Set a steel fence post, 5<math>\frac{1}{2}</math> ft. long, alongside the stainless steel post.</p>
42.20	Leave meadow land, bears N. and S.; asc. over rolling SE. slope, through scattered sagebrush, greasewood and native grass.
44.80	Power line, bears N. 6 $\frac{1}{4}$ ° W. and S. 6 $\frac{1}{4}$ ° E., 0.85 chs. dist. to angle point, from which power line bears N. 6 $\frac{1}{4}$ ° W. and SSW.
45.10	Fence, bears N. and S.
45.60	Improved gravel road, bears N. and S.
80.218	<p>The cor. of secs. 2, 3, 34 and 35, monumented with granite stone, 20x10x5 ins. firmly set in a mound of stone, plainly mkd. with 2 notches on E. edge and 4 notches on W. edge.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, over a DEEP-1 magnetic marker, with brass cap mkd.</p> <p style="text-align: center;">T39N R59E S 34   S 35 S 3   S 2 T38N</p> <p style="text-align: center;">1992</p> <p>Deposit the original corner stone and set a steel fence post, 5<math>\frac{1}{2}</math> ft. long, alongside the stainless steel post.</p>
<hr/> <p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 38 N., R. 59 E., MOUNT DIABLO MERIDIAN NEVADA</p> <hr/>	
<p>Reestablishment of a Portion of the Survey Executed by D. H. Barker, C. S. Preble and E. C. McClellan, U.S. Deputy surveyors, in 1879.</p> <hr/>	
<p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., monumented with an iron post, 2<math>\frac{1}{2}</math> ins. diam., firmly set and exposed 8 ins. above the ground, with brass cap mkd. as described in the field notes of T. 37 N., R. 59 E., executed under Group No. 537.</p> <p>N. 0°07.3' W., bet. secs. 35 and 36.</p>	