

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY,
T. 4 N., R. 51 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Reestablishment of the Survey and Resurvey Executed by F. T. Roberts, U. S. Deputy Surveyor, in 1909</p> <hr/> <p>Beginning at the S.E. cor. of T. 4 N., R. 51 E., monumented with a basalt stone, 15X12X12 ins., firmly set, projecting 3 ins. above ground, mkd. 4N on N. face, 51E on W. face, and 6 notches on the NW. and NE. edges, with a mound of stone 3 ft. base, 1 ft. high, W. of cor.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, to solid rock and in a mound of stone, 2 ft. base to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T4N R51E S 36</p> <hr style="width: 50px; margin: 0 auto;"/> <p>T3N R52E S 6</p> <p>1990</p> </div> <p>Bury mkd. stone alongside stainless steel post.</p> <p>N. 0°04' E., on the E. bdy. of sec. 36.</p>
34.30	Ridge, bears E. and W.
35.72	The closing cor. of Tps. 3 and 4 N., R. 52 E., hereinafter described.
38.80	<p>The 1/4 sec. cor. of secs. 31 and 36, monumented with a basalt stone, 15X10X6 ins., firmly set, projecting 8 ins. above ground, mkd. 1/4 on the W. face, with a mound of stone 2 ft. base, 1$\frac{1}{2}$ ft. high, W. of cor. This cor. will now function as the 1/4 sec. cor. of sec. 36 only.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 10 ins. in the ground, to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T4N 1/4 S 36 R51E</p> <hr style="width: 50px; margin: 0 auto;"/> <p>1990</p> </div> <p>Bury mkd. stone alongside stainless steel post.</p> <hr/> <p>N. 0°09' E., beginning new measurement.</p>
20.90	Rocky ridge, bears E. and W.