

SURVEY OF THE SUBDIVISIONAL LINES, T. 37 N., R. $52^{1}/_{2}$ E., MDM, NEVADA

CHAINS	
	Over rolling mountainous land, through scattered undergrowth.
0.50	Fence, bears NNW. and SSE.
26.62	Intersect the E. bdy. of sec. 25, T. 37 N., R. 52 E.
	Point for the closing cor. of secs. 25 and 36, N. 0° 50' E., 0.1 lks. from the tangent.
	Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 18 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.
	T37N T37N S 25 S 25 ——————————————————————————————————
	1988
	From this cor., the cor. of secs. 25 and 36, T. 37 N., R. 52 E., hereinbefore described, bears S. 0° 50' W., 4.85 chs. dist.
	Land, rolling mountainous. Soil, sandy clay loam with rocks. Undergrowth, scattered sagebrush, rabbitbrush and native grass.
	Point for the W $^{1}/_{4}$ sec. cor. of sec. 36, is WEST of the E $^{1}/_{4}$ sec. cor. of sec. 36, and on the E. bdy. of sec. 36, T. 37 N., R. 52 E.
	Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T37N R52E R52 ¹ / ₂ E 1/ ₄ S 36
	1988
	Raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.
	From this cor., the E 1/4 sec. cor. of sec. 36, T. 37 N., R. 52 E., hereinbefore described, bears S. 0° 50' W., 4.66 chs. dist.
* -	