

334

SURVEY OF THE SUBDIVISIONAL LINES,
T. 36 $\frac{1}{2}$ N., R. 53 E., MDM, NEVADA

CHAINS

Set a stainless steel post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 23 ins. in the ground, with brass cap mkd.

T37N R53E
 $\frac{S}{S}$ 34 | S 35
 C C
 T36 $\frac{1}{2}$ N R53E

1988

Raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.

From this cor., the cor. of secs. 34 and 35, T. 37 N., R. 53 E., monumented with a stainless steel post, 2 $\frac{1}{2}$ ins. diam., firmly set showing 4 ins. above ground, with a mound of stone N. of cor., with brass cap mkd. as described in the field notes of T. 37 N., R. 53 E., executed concurrently under this same Group, bears S. 89° 57' E., 4.25 chs. dist.

From this same cor., the S $\frac{1}{4}$ sec. cor. of sec. 34, T. 37 N., R. 53 E., hereinafter described, bears N. 89° 57' W., 35.65 chs. dist.

Land, rolling mountainous.

Soil, sandy clay loam with rocks.

Undergrowth, scattered sagebrush, serviceberry, rabbitbrush and native grass.

Point for the N $\frac{1}{4}$ sec. cor. of sec. 35, is NORTH of the $\frac{1}{4}$ sec. cor. of secs. 2 and 35, Tps. 36 and 36 $\frac{1}{2}$ N., Rs. 53 E. and on the S. bdy. of sec. 35, T. 37 N., R. 53 E.

Set a stainless steel post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 18 ins. in the ground to solid rock and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T37N R53E
 $\frac{1}{4}$ S 35
 T36 $\frac{1}{2}$ N R53E

1988

From this cor., the S $\frac{1}{4}$ sec. cor. of sec. 35, T. 37 N., R. 53 E., monumented with a stainless steel post, 2 $\frac{1}{2}$ ins. diam., firmly set in a mound of stone, with brass cap mkd. as described in the field notes of T. 37 N., R. 53 E., bears S. 89° 55' E., 4.49 chs. dist.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp. NORTH, bet. secs. 33 and 34.

Over rolling mountainous land, through scattered undergrowth.

4.73

Intersect the S. bdy. of sec. 33, T. 37 N., R. 53 E.

Point for the closing cor. of secs. 33 and 34.