

210

DEPENDENT RESURVEY OF THE SOUTH BOUNDARY,  
T. 22 N., R. 32 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

Reestablishment of the Survey Executed by  
T. K. Stewart, U. S. Deputy Surveyor,  
in 1882

From the cor. of Tps. 21 and 22 N., Rs. 32 and 33 E., monumented with a granite stone, 18x4x3 ins. plainly mkd. with 6 notches on N., S., E. and W. edges, firmly set in a mound of stone, a wooden post, 4 ins. square, 48 ins. long, alongside the granite stone.

At the corner point

Set a stainless steel post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 18 ins. in the ground, over a DEEP-1 magnetic marker and in a collar of stone, 3 ft. base to top, with brass cap mkd.

T22N	
R32E	R33E
S 36	S 31
S 1	S 6
T21N	

1992

Deposit the original cornerstone, reset the wooden post and set a steel sign post, 8 ft. long, alongside the stainless steel post.

From this corner, U.S.C. & G.S. triangulation station "COX", monumented with a standard brass tablet stamped COX 1958, cemented in a drill hole in an outcropping of bedrock, bears N. 76°19.4' E. (mean bearing), 199.731 chs. dist.

S. 89°44.1' W., bet. secs. 1 and 36.

Over alkali flat.

40.003 Point for the  $\frac{1}{4}$  sec. cor. of secs. 1 and 36, at proportionate distance; there is no remaining evidence of the original corner.

Set a stainless steel post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, over a DEEP-1 magnetic marker, with brass cap mkd.

T22N	R32E
S 36	
$\frac{1}{4}$	—
S 1	
T21N	

1992

Set a steel sign post, 8 ft. long, alongside the stainless steel post.

80.006 The cor. of secs. 1, 2, 35 and 36, monumented with an iron water pipe, 1 $\frac{1}{2}$  ins. diam., exposed 2 ins. above the ground, with an unmarked sandstone, 16x6x2 ins. alongside and is accepted as the best available evidence of the position of the original corner.

At the corner point