DEPENDENT RESURVEY OF THE THIRD STANDARD PARALLEL NORTH, THROUGH A PORTION OF RANGE 33 EAST, MOUNT DIABLO MERIDIAN, NEVADA

	MOUNT DIABLO MERIDIAN, NEVADA
CHAINS	N. 89°59.5' W., on the S. bdy. of sec. 32.
	Over nearly level land, covered with native grass and sagebrush.
1.036	The closing cor. of secs. 5 and 6, T. 15 N., R. 33 E., hereinafter described.
20.004	Point for the standard E $^{1}/_{16}$ sec. cor. of sec. 32.
	Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 24 ins. in the ground, over a DEEP-1 magnetic marker, with brass cap mkd.
	SC E ¹ / ₁₆ S 32
	1991
	Set a steel fence post, $5^{1}/_{2}$ ft. long, alongside the stainless steel post.
40.008	The standard $^{1}/_{4}$ sec. cor. of sec. 32, monumented with an iron post, 1 in. diam., firmly set showing 10 ins. above ground, with brass cap mkd. as described in the field notes of T. 16 N., R. 33 E., executed under Group No. 155.
	Remark the brass cap to read:
	SC T16N R33E ¹ / ₄ S 32
	1991 1930
	From this corner, a well, 8 in. casing, flush with the ground, bears S. 89°54' W., 6.57 chs. dist.
	S. 89°59.8' W., beginning new measurement.
	Over nearly level land.
39.55	State Route 839, bears S. $8^{1}/_{2}^{\circ}$ E. and N. $8^{1}/_{2}^{\circ}$ W.
39.985	The standard cor. of secs. 31 and 32, identical with U.S.G.S. triangulation station "T16N R33E SEC 31 SE CORNER", monumented with an iron post, 2 ins. diam., firmly set 12 ins. below surface of ground, with brass cap mkd. as described in the field notes of T. 16 N., R. 33 E., executed under Group No. 155. Add the marks 1991 to the brass cap.
	SURVEY OF A PORTION OF THE EAST BOUNDARY, T. 15 N., R. 33 E., MOUNT DIABLO MERIDIAN, NEVADA
	Point for the cor. of Tps. 14 and 15 N., Rs. 33 and 34 E., determined at 960.00 chs. NORTH of the cor. of Tps. 12 and 13 N., Rs. 33 and 34 E.
]	