

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 29 N., R. 58 E., Mount Diablo Meridian, Nevada

CHAINS	
	<p style="text-align: center;">T29N R58E S 21 $\frac{1}{4}$ ————— S 28 1993</p> <p>Set a steel fence post, 5$\frac{1}{2}$ ft. long, alongside the stainless steel post.</p>
41.10	Improved gravel road, bears NNE. and SSW.; enter mountainous land, covered with sagebrush and native grass.
42.10	Power line, bears N. 38 $\frac{1}{2}$ ° E. and S. 38 $\frac{1}{2}$ ° W.
55.00	Spur, slopes SE.
60.465	<p>Point for the W $\frac{1}{16}$ sec. cor. of secs. 21 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a DEEP-1 magnetic marker, with brass cap mkd.</p> <p style="text-align: center;">S 21 W $\frac{1}{16}$ ————— S 28 1993</p> <p>Set a steel fence post, 5$\frac{1}{2}$ ft. long, alongside the stainless steel post.</p>
80.62	The cor. of secs. 20, 21, 28 and 29.
<hr/> <p>Survey of a Portion of the South Boundary, T. 29 N., R. 58 E., Mount Diablo Meridian, Nevada</p> <hr/>	
	<p>From the E $\frac{1}{16}$ sec. cor. of secs. 5 and 32.</p> <p>WEST, on the S. bdy. of sec. 32, on a transit line describing the tangent.</p> <p>Over mountainous land.</p>
20.00	<p>Point for the $\frac{1}{4}$ sec. cor. of sec. 32 only, NORTH, 0.1 lk. from the tangent.</p> <p>Set a stainless steel post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a DEEP-1 magnetic marker, with brass cap mkd.</p> <p style="text-align: center;">T29N R58E $\frac{1}{4}$ S 32 ————— T28N 1993</p> <p>Set a steel fence post, 5$\frac{1}{2}$ ft. long, alongside the stainless steel post.</p>