DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 28 N., R. 47 E., MDM, NEVADA

	T. 28 N., R. 47 E., MDM, NEVADA
CHAINS	Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 24 ins. in the ground, over a plastic incased magnet, with brass cap mkd.
	¹ / ₁₆
	1994
	Set a steel fence post, $5^1/_2$ ft. long, alongside the stainless steel post.
58.00	Enter mining area.
73.70	Leave mining area.
86.158	Intersect line 4-1 of M.S. No. 4763, Gold Bug lode, at a point from which:
	Cor. No. 1, Gold Bug lode, M.S. No. 4763, hereinbefore described, bears N. 0°12'15" W., 5.765 chs. dist.
	Cor. No. 4, Gold Bug lode, M.S. No. 4763, identical with Cor. No. 4, Gold Drift lode, and Cor. No. 4, Homestead No. 2 lode, both of M.S. No. 4763, hereinafter described, bears S. 0°12'15" E., 18.439 chs. dist.
90.653	Intersect the E. bdy. of T. 28 N., R. 46 E.
	Point for the closing cor. of secs. 30 and 31, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 12 ins. in the ground to solid rock and in a mound of stone, 4 ft. base to top, over a plastic incased magnet, with brass cap mkd.
	T28N R46E R47E S 30 CC S 31
	1994
	Set a steel fence post, 5 ft. long, alongside the stainless steel post.
	From this corner, the angle point bet. Tps. 28 N., Rs. 46 and 47 E., hereinbefore described, bears S. 3°24'10" W., 17.590 chs. dist.
	The point for the $^{1}/_{4}$ sec. cor. of sec. 31 only, is on the W. bdy. of the Tp., and at midpoint in latitude from the respective closing corners. This point falls in mining area.
	POINT NOT MONUMENTED