

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,  
T. 40 N., R. 63 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS  
39.59

The standard  $\frac{1}{4}$  sec. cor. of sec. 36, T. 41 N., R. 63 E., monumented with a redwood post, 2 x 3 ins., 30 ins. long, with illegible scribe marks visible, loosely set in a mound of earth. This cor. will now refer to the S  $\frac{1}{4}$  sec. cor. of sec. 36, T. 40 $\frac{1}{2}$  N., R. 63 E.

At the corner point

Set a stainless steel post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T40 $\frac{1}{2}$ N R63E  
 $\frac{1}{4}$  S36

T40N

1990

Reset the original wooden post and set a steel fence post, 5 $\frac{1}{2}$  ft. long, alongside the stainless steel post.

---

DEPENDENT RESURVEY OF THE EAST BOUNDARY  
T. 40 N., R. 63 E., MOUNT DIABLO MERIDIAN, NEVADA

---

Reestablishment of the Survey Executed by  
A.J. Hatch and J.H. Eaton, U.S. Deputy Surveyors, in 1870  
and the Resurvey Executed by  
H.B. Maxson, U.S. Deputy Surveyor, in 1894

From the cor. of Tps. 39 and 40 N., Rs. 63 and 64 E., monumented with a redwood post, 2 ins. square, 40 ins. long, with illegible scribe marks visible, wired to a steel fence post, 5 $\frac{1}{2}$  ft. long, firmly set showing 4 $\frac{1}{2}$  ft. above ground, alongside a limestone, 20 x 6 x 4 ins., mkd. with 6 notches on the SW. and SE. edges, firmly set showing 8 ins. above ground.

At the corner point

Set a stainless steel post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T40N  
R63E R64E  
S 36 | S 31  
S 1 | S 6  
T39N

1989

Reset the original wooden post, marked stone and steel fence post, alongside the stainless steel post.

N. 1°34' E., bet. secs. 31 and 36.

Over mountainous land, covered with scattered native grass and sagebrush.