

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 2 N., R. 37 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>From this corner, NGS High Accuracy Reference Network station "COALDALE 2", monumented with a brass tablet, 3<sup>1</sup>/<sub>2</sub> ins. diam., firmly set in a concrete cylinder, 12 in. diam., mkd. COALDALE 2 1988, bears S. 5°36'00" E., 29.096 chs. dist.</p> <p>From this same corner, U.S.C. &amp; G.S. reference mark "COALDALE NO. 1", monumented with a brass tablet, 3<sup>1</sup>/<sub>2</sub> ins. diam., firmly set in a 10 x 10 in. concrete slab, mkd. COALDALE NO. 1 1952, bears S. 5°07'00" W., 28.493 chs. dist.</p> <hr/> <p>S. 89°45'40" W., beginning new measurement.</p> <p>Over gently rolling land, through sagebrush and other native brush.</p>
13.40	Old railroad grade, bears SSE. and NNW.
15.75	U.S. Highway No. 95, a paved 2 lane highway, 25 ft. wide, bears S. 27 <sup>1</sup> / <sub>4</sub> ° E. and N. 27 <sup>1</sup> / <sub>4</sub> ° W.
20.090	Point for the W <sup>1</sup> / <sub>16</sub> sec. cor. of secs. 8 and 17.
	Set a stainless steel post, 28 ins. long, 2 <sup>1</sup> / <sub>2</sub> ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	$\begin{array}{r} \text{S } 8 \\ \text{W } \frac{1}{16} \text{ --- } \\ \text{S } 17 \\ 1995 \end{array}$
	Set a steel fence post, 5 <sup>1</sup> / <sub>2</sub> ft. long, alongside the stainless steel post.
21.10	Single pole telephone line, bears N. 82° E. and S. 82° W.
40.180	The cor. of secs. 7, 8, 17 and 18.
	<hr/> <p>SUBDIVISION OF SECTION 17, T. 2 N., R. 37 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>
	<p>From the <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 17 and 20.</p> <p>N. 0°39'50" E., on the N. and S. center line of sec. 17.</p> <p>Over gently rolling land, through sagebrush and other native brush.</p>
7.60	Trail road, 10 ft. wide, bears SE. and NW.
20.457	Point for the C-S <sup>1</sup> / <sub>16</sub> sec. cor. of sec. 17.