## DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY, T. 19 S., R. 59 E., MOUNT DIABLO MERIDIAN, NEVADA

T19S R59E  S34  1/4 —  S3  T20S	
1/4 ————————————————————————————————————	
T20S	
1	
1994	
1956	
DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY T. 19 S., R. 59 E., MOUNT DIABLO MERIDIAN, NEVADA	,
Reestablishment of the Survey Executed by Brunt and Proctor in 1881 and the Resurvey Executed by P.K. Russell in 1956	у
From the cor. of secs. 1, 6, 31 and 36, Tps. 19 and 20 S., and 60 E., hereinbefore described.	Rs. 59
N. 0°10'40" E., bet. secs. 31 and 36.	
16.40 Fence bears E-W.	
The S $^{1}/_{16}$ sec. cor. of secs. 31 and 36, monumented with a post, $1^{1}/_{2}$ ins. diam., firmly set flush with the surface ground, with brass tag mkd. LS 2051; no map record o monument was found, it is accepted as a careful and facestablishment of the corner position.	of the   f this
At the corner point	
Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 2 in the ground, over a plastic-encased magnet, with brass cannot be set to be	4 ins. ap mkd.
S 1/16 S36   S31	
1994	
Deposit the iron post inside the stainless steel post.	
N. 0°11'30" E., beginning new measurement.	
10.170 Point for the N-S $\frac{1}{64}$ sec. cor. of secs. 31 and 36.	
Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 2 in the ground, over a plastic-encased magnet, with brass can be set to	24 ins. ap mkd.
N-S 1/64 S36 S31	
1994	
The 1/4 sec. cor. of secs. 31 and 36, monumented with an iron 21/2 ins. diam., firmly set flush with the surface of the with brass cap mkd. as described in the field notes of the resurvey, and a mound of stone west of the corner; remark to read as follows:	round, ne 1956