SUBDIVISION OF SECTION 35,
T. 18 S., R. 63 E., MOUNT DIABLO MERIDIAN, NEVADA

	T. 18 S., R. 63 E., MOUNT DIABLO MERIDIAN, NEVADA
CHAINS	
21.93	Paved road, bears NE. and SW.
25.29	Underground telephone cable, bears NE. and SW.
26.45	Power transmission line, bears N. 32°46.0' E. and S. 32°46.0' W.
30.000	Point for the center W-NW $^{1}/_{64}$ section corner; not monumented.
34.56	Intersect the westerly boundary of a utility right-of-way corridor, bears N. 32°46.0' E. and S. 32°46.0' W.
36.36	East wall of building.
39.39	West wall of building.
40.000	The point for the N 1 / $_{16}$ section corner of sections 34 and 35.
	From the point for the center W-NW $^{1}/_{64}$ section corner.
	N. 0°01.3' E., on the N-S center line of the $NW^1/_4$ of the $NW^1/_4$.
7.09	Intersect the northerly boundary of a utility right-of-way corridor, bears N. 32°46.0' E. and S. 32°46.0' W.
10.004	Point for the NW-NW $^{1}/_{64}$ section corner at intersection with the E-W center line of the NW $^{1}/_{4}$ of the NW $^{1}/_{4}$.
	Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 12 ins. in the ground, over a DEEP-1 magnetic marker and in a mound of stone, 4 ft. base to top, with brass cap marked:
	S35 NW-NW 1/64
	1993
20.008	The W-W $^{1}/_{64}$ section corner of sections 26 and 35.
	From the point for the center N-NW $^{1}/_{64}$ section corner.
	S 89°58.8' W., on the E-W center line of the NW $^1/_4$ of the NW $^1/_4$.
0.02	Power transmission line, bears N. 32°46.0' E. and S. 32°46.0' W.
8.12	Intersect the westerly boundary of a utility right-of-way corridor, bears N. 32°46.0' E. and S. 32°46.0' W.
10.000	The NW-NW 1/64 section corner.
20.000	The N-N $^{1}/_{64}$ section corner of sections 34 and 35.
	GENERAL DESCRIPTION
	The average elevation is about 2350 ft. General drainage is to the southeast. Vegetation consists of creosote and cacti.