

## TOWNSHIP 39 NORTH, RANGE 27 EAST, MOUNT DIABLO MERIDIAN, NEVADA

## CHAINS

The vertical angles of measurements made on the slope were ascertained with a theodolite in good adjustment; the horizontal equivalents only are entered in the field notes.

The geographic position for the cor. of secs. 8, 9, 16 and 17, is at Lat.  $41^{\circ}17'25.63''$  N. and Long.  $118^{\circ}54'30.56''$  W. - NAD 83 (1986), as calculated from a direct tie to U.S.C. & G.S. triangulation station "PAHUTE".

The mean magnetic declination is  $17\frac{1}{2}^{\circ}$  E., as shown on U.S.G.S. quadrangle map "PIDGEON SPRING, NEV." dated 1979.

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,  
T. 39 N., R. 27 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by  
G. W. Garside, W. W. Skinner and C. S. Preble,  
U. S. Deputy Surveyors, in 1873

From the cor. of secs. 5, 6, 31 and 32, monumented with a mound of stone, 2 ft. base.,  $1\frac{1}{2}$  ft. high. (Record: wood post). This mound of stone correlates well with other existing original corners and is accepted as the best available evidence of the position of the original corner. This cor. will now refer to the cor. of secs. 31 and 32 only.

At the corner point

Set a stainless steel post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

T39N	R27E
S 31	S 32

1997

Set a steel fence post,  $5\frac{1}{2}$  ft. long, alongside the stainless steel post and rebuild the mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

N.  $87^{\circ}50'40''$  W., on the S. bdy. of sec. 31.

Over rolling land, covered with medium sagebrush, scattered shadscale, rabbitbrush, Brigham tea, cacti and native grass.

37.90 Edge of bluff, bears irregularly NE. and SW.

41.60 Track road, bears N. and S.

43.50 Trail road, bears irregularly NNE. and SSW.

43.654 Point for the  $\frac{1}{4}$  sec. cor. of secs. 6 and 31, at proportionate distance; there is no remaining evidence of the original corner. This cor. will now refer to the  $\frac{1}{4}$  sec. cor. of sec. 31 only.

Set a stainless steel post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.