DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY, T. 39 N., R. 27 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS 42.010

Point for the $^{1}/_{4}$ sec. cor. of secs. 6 and 31, at proportionate distance, falls on W. edge of big boulder; there is no remaining evidence of the original corner. This cor. will now refer to the $^{1}/_{4}$ sec. cor. of sec. 6 only.

Set a brass tablet, $3^{1}/_{4}$ ins. diam., $3^{1}/_{2}$ -in. stem, in drill hole, with brass cap mkd.

¹/₄ S 6 T39N R27E

1997

70.40

Ridge, bears N. and S.

78.650

A closing cor. of sec. 1, T. 39 N., R. 26 E., monumented with a stainless steel post, $2^1/_2$ ins. diam., firmly set showing 4 ins. above ground, with brass cap mkd. as described in the field notes of T. 39 N., R. 26 E., executed concurrently under this same Group.

From this corner, the cor. of Tps. 39 and 40 N., R. 26 E., monumented with an iron post, 3 ins. diam., firmly set in a mound of stone, with brass cap mkd. as described in the field notes of T. 39 N., R. 26 E., executed concurrently under this same Group, bears N. 1°06'40" E., 15.603 chs. dist.

81.374

The NW. cor. of T. 39 N., R. 27 E.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 39 N., R. 27 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey executed by G. W. Garside, W. W. Skinner and C. S. Preble U. S. Deputy Surveyors, in 1873

From the $^{1}/_{4}$ sec. cor. of secs. 16 and 17, monumented with the decayed remains of a wood hub, with brass disc, $^{7}/_{8}$ in. diam., mkd. "R.L.S 2161", lying loose in a mound of stone. No mkd. stone found. This rotted wood hub is accepted as the best available evidence of the position of the original corner.

At the corner point

Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

T39N R27E 1/4 S17 | S16

1997