

013

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 17 N., R. 28 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">T17N R28E S36 1/4 ——— S1 T16N 1996</p>
	<p>Deposit the basalt stone alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <hr style="width: 20%; margin: auto;"/>
	<p>S. 89°23'30" E., beginning new measurement.</p>
25.060	<p>The meander cor. of secs. 1 and 36, monumented with a granite stone, 16x12x9 ins., mkd. S36 on the N. face, MC on the E. face, R27 S1 on the S. face and S36 on the N. face, firmly set in a mound of stone. This is accepted as the best available evidence of the original corner position. (Record, wood post) This cor. will now function as the meander cor. of sec. 36 only, and also as Angle Pt. No. 4, Tract 40.</p>
	<p>At the corner point</p>
	<p>Set a stainless steel post, 28 ins. long, 2¹/₂ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
	<p style="text-align: center;">T17N S36 R28E ——— MC T16N 1998</p>
	<p>Deposit the granite stone alongside the stainless steel post and rebuild the mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <hr/>
	<p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 17 N., R. 28 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>
	<p style="text-align: center;">(Reestablishment of the Survey Executed by E.B. Monroe and A.G. Bateman, U.S. Deputy Surveyors, in 1874, and the Resurvey and Survey Executed by M.F. Reilly and T.A. Magee, U.S. Deputy Surveyors, in 1881)</p> <hr/>
	<p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp. N. 0°25'20" E., bet. secs. 35 and 36.</p>
	<p>Over alkali flat.</p>
18.40	<p>Canal, bears SE. and NW.</p>
18.70	<p>Bladed road, bears SE. and NW.</p>
38.80	<p>Bladed road, bears E. and W.</p>
39.90	<p>Fence, bears E. and W.</p>