

040

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY,
T. 16 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">(Reestablishment of the Survey Executed by M.F. Reilly and T.A. Magee, U.S. Deputy Surveyors, in 1881)</p> <hr/> <p>From the $\frac{1}{4}$ sec. cor. of secs. 7 and 12, monumented with decayed remains of a willow post, with no visible scribing, loosely set in a mound of earth. This cor. will now function as the $\frac{1}{4}$ sec. cor. of sec. 12 only.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T16N R29E R30E 1/4 S 12 </p> <p style="text-align: center;">1996</p> <p>Reset the remains of the original wooden post and set a steel fence post, 5 ft. long, alongside the stainless steel post.</p> <p>N. $0^{\circ}27'40''$ E., on the E. bdy. of sec. 12.</p> <p>Over alkali flat.</p>
40.144	<p>Point for the cor. of secs. 1, 6, 7 and 12, at proportionate distance; there is no remaining evidence of the original corner. This cor. will now function as the cor. of secs. 1 and 12 only.</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T16N R29E R30E S 1 ----- S 7 S 12 </p> <p style="text-align: center;">1996</p> <p>Set a steel fence post, 5 ft. long, alongside the stainless steel post.</p>
1.592	<p>N. $0^{\circ}27'40''$ E., on the E. bdy. of sec. 1.</p> <p>The closing cor. of secs. 6 and 7, T. 16 N., R. 30 E., monumented with a stainless steel post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of T. 16 N., R. 30 E., executed concurrently under this same group.</p>
2.90	<p>Wash, 10 lks. wide, 1 ft. deep, drains NE.</p>