SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 16 N., R. 30 E., MOUNT DIABLO MERIDIAN, NEVADA	
CHAINS	Beginning at the point for the cor. of secs. 4, 5, 8 and 9, determined N. 0°02'50" W., 320.00 chs. dist. from the cor. of secs. 28, 29, 32 and 33.
	Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	T16N R30E S 5 S 4
	S 8 S 9
	1996
	Set a steel fence post, 5 ft. long, alongside the stainless steel post.
	From this point, the cor. of secs. 28, 29, 32 and 33, bears S. $0^{\circ}02'50"$ E., 320.000 chs. dist., monumented with a stainless steel post, $2^{1}/_{2}$ ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 16 N., R. 30 E., executed under Group No. 711.
	N. 0°02'50" W., bet. secs. 4 and 5.
	Over alkali flat.
40.000	Point for the ${}^{1}\!/_{4}$ sec. cor. of secs. 4 and 5.
	Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	T16N R30E 1/4 S 5 S 4
	1996
	Set a steel fence post, 5 ft. long, alongside the stainless steel post.
80.000	Point for the 80 $^{1/}_{16}$ sec. cor. of secs. 4 and 5.
	Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	80 1,
	1996
	Set a steel fence post, 5 ft. long, alongside the stainless steel post.
85.772	Intersect the S. bdy. of sec. 33, T. 17 N., R. 30 E.
	Point for the closing cor. of secs. 4 and 5.