

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 16 N., R. 30 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">T16N R30E S 6 S 5 <hr style="width: 50%; margin: auto;"/>S 7 S 8 1996</p> <p>Set a steel fence post, 5 ft. long, alongside the stainless steel post.</p> <p>From this point, the cor. of secs. 29, 30, 31 and 32, bears S. 0°03'30" E., 320.000 chs. dist., monumented with a stainless steel post, 2¹/₂ ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of the survey of a portion of the subdivisional lines of T. 16 N., R. 30 E., executed under Group No. 711.</p> <p>Land, nearly level. Soil, alkali and sand. Vegetation, widely scattered greasewood and shadscale.</p> <hr/> <p>N. 0°03'30" W., bet. secs. 5 and 6.</p> <p>Over alkali flat.</p>
40.000	<p>Point for the ¹/₄ sec. cor. of secs. 5 and 6.</p> <p>Set a stainless steel post, 28 ins. long, 2¹/₂ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T16N R30E 1/4 S 6 S 5 1996</p> <p>Set a steel fence post, 5 ft. long, alongside the stainless steel post.</p>
80.000	<p>Point for the 80 ¹/₁₆ sec. cor. of secs. 5 and 6.</p> <p>Set a stainless steel post, 28 ins. long, 2¹/₂ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">80 ¹/₁₆ S 6 S 5 1996</p> <p>Set a steel fence post, 5 ft. long, alongside the stainless steel post.</p>
86.022	<p>Intersect the S. bdy. of sec. 32, T. 17 N., R. 30 E.</p> <p>Point for the closing cor. of secs. 5 and 6.</p> <p>Set a stainless steel post, 28 ins. long, 2¹/₂ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>