

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 16 N., R. 30 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

Set a stainless steel post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

T17N R30E

$\frac{1}{4}$  S 6

T16N R30E

1998

Set a steel fence post, 5 ft. long, alongside the stainless steel post.

From this point, the  $\frac{1}{4}$  sec. cor. of sec. 31 only, T. 17 N., R. 30 E., bears WEST, 7.501 chs. dist., monumented with a stainless steel post,  $2\frac{1}{2}$  ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of T. 17 N., R. 30 E., executed concurrently under this same group.

The point for the  $80\frac{1}{16}$  sec. cor. of sec. 6 only, on the S. bdy. of T. 17 N., R. 30 E., determined at 80.000 chs. in departure from the closing cor. of secs. 5 and 6.

Set a stainless steel post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

$80\frac{1}{16}$

S 6

1998

Set a carsonite post, 5 ft. long, alongside the stainless steel post.

From this point, the cor. of Tps. 16 and 17 N., Rs. 29 and 30 E., identical with Angle Pt. No. 1, Tract 37, T. 16 N., R. 29 E., Angle Pt. No. 10, Tract 37, T. 17 N., R. 29 E. and Angle Pt. No. 2, Tract 37, T. 17 N., R. 30 E., bears WEST, 12.453 chs. dist., monumented with a stainless steel post,  $2\frac{1}{2}$  ins. diam., firmly set, projecting 5 ins. above the ground, with brass cap mkd. as described in the field notes of T. 16 N., R. 29 E., executed concurrently under this same group.

The point for the  $\frac{1}{4}$  sec. cor. of sec. 6 only, on the E. bdy. of sec. 1, T. 16 N., R. 29 E., determined at 40.000 chs. in latitude from the closing cor. of secs. 6 and 7.

Set a stainless steel post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

T16N  
R29E R30E

$\frac{1}{4}$  S 6

1998