

DEPENDENT RESURVEY OF A PORTION OF THE WEST BOUNDARY,  
T. 6 S., R. 61 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p style="text-align: center;">Reestablishment of the Survey Executed by E.B. Monroe in 1870</p> <hr style="width: 20%; margin: auto;"/>					
	<p>Beginning at the corner of sections 7, 12, 13, and 18, monumented with a small mound of stone and fragments of a cottonwood post on which scribe marks are visible.</p> <p>At the corner point at the center of the mound of stone</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 24 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td>T6S</td></tr> <tr><td>R60E R61E</td></tr> <tr><td>S12   S 7</td></tr> <tr><td>-----</td></tr> <tr><td>S13   S18</td></tr> </table> <p>1998</p> </div> <p>Deposit the fragments of original cottonwood post alongside the stainless steel post.</p> <p>Corner is located in a fence which bears N-S.</p> <p>N. 0°44'00" W., bet. secs. 7 and 12.</p>	T6S	R60E R61E	S12   S 7	-----	S13   S18
T6S						
R60E R61E						
S12   S 7						
-----						
S13   S18						
40.514	<p>Point for the <sup>1</sup>/<sub>4</sub> sec. cor. of secs. 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td>T6S</td></tr> <tr><td>R60E R61E</td></tr> <tr><td>1/4</td></tr> <tr><td>S12   S 7</td></tr> </table> <p>1998</p> </div>	T6S	R60E R61E	1/4	S12   S 7	
T6S						
R60E R61E						
1/4						
S12   S 7						
60.771	<p>Point for the N <sup>1</sup>/<sub>16</sub> sec. cor. of secs. 7 and 12; not monumented.</p>					
81.028	<p>The cor. of secs. 1, 6, 7, and 12, monumented with a small mound of stone as described in the field notes of the resurvey executed by E.W. Sibley in 1964; this is accepted as the best available evidence of the position of the original corner.</p> <p>At the corner point at the center of the mound of stone</p> <p>Set a stainless steel post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 24 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.</p>					