DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 6 S., R. 61 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	T6S R61E S 6
	$1/4 \frac{s}{s}$
	1998
61 205	
61.395	Point for the W 1/16 sec. cor. of secs. 6 and 7.
	Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	s 6
	$W 1/16 \phantom{00000000000000000000000000000000000$
	1998
65.90	U.S. Highway No. 93, NW-SE.
67.30	Pole line, NW-SE.
80.447	The cor. of secs. 1, 6, 7, and 12, on the west boundary of the Tp., hereinbefore described.
	From the cor. of secs. 5, 6, 7, and 8.
	N. 2°09'20" W., bet. secs. 5 and 6.
39.502	Point for the $^{1}/_{4}$ sec. cor. of secs. 5 and 6, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, $2^1/_2$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	T6S R61E
	1/4 S 6 S 5
	1998
79.438	The cor. of secs. 5, 6, 31, and 32, on the north boundary of the Tp., hereinbefore described.
	SUBDIVISION OF SECTION 6, T. 6 S., R. 61 E., MOUNT DIABLO MERIDIAN, NEVADA
	From the $^{1}/_{4}$ sec. cor. of secs. 6 and 7.
	N. 1°25'00" W., on the N-S center line of section 6.
39.696	Point for the center $^{1}/_{4}$ sec. cor., at intersection with the E-W center line.
	Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.