SUBDIVISION OF SECTION 14, T. 20 N., R. 20 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

C 1/4 S14

T20N R20E

1999

Raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.

From this point a center $^1/_4$ sec. cor. of sec. 14, hereinbefore described, bears N. 89°51′30″ E., 2.098 chs. dist.

The point for a C-W $^1/_{16}$ sec. cor. of sec. 14, is at proportionate dist. bet. a center $^1/_4$ sec. cor. of sec. 14, and the true point for the $^1/_4$ sec. cor. of secs. 14 and 15, on the E-W center line of sec. 14, based on the plat approved February 19, 1907.

Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.

C —— C W 1/16 S14

1999

Raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.

From this point the true point for the $^1/_4$ sec. cor. of secs. 14 and 15, bears S. 89°51′30" W., 17.212 chs. dist., hereinbefore described.

METES-AND-BOUNDS SURVEY OF LOT 10, SECTION 14, T. 20 N., R. 20 E., MOUNT DIABLO MERIDIAN, NEVADA

Beginning at Angle Point No. 1, Lot 10, identical with the cor. of secs. 14, 15, 22 and 23, hereinbefore described.

N. $89^{\circ}59'20"$ E., on line 1-2, identical with a portion of the line bet. secs. 14 and 23.

Over rolling land, covered with medium sagebrush, with scattered rabbitbrush and native grass.

9.848

Point for Angle Point No. 2, Lot 10.

Set a stainless steel post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.