068

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. $23^{1}/_{2}$ N., R. 49 E., MOUNT DIABLO MERIDIAN, NEVADA

P	T. 237 ₂ N., R. 49 E., MOUNT DIABLO MERIDIAN, NEVADA
CHAINS	Reestablishment of the Survey Executed by A. Nelson, U.S. Cadastral Engineer, in 1927
	From the 1 / $_{4}$ sec. cor. of secs. 1 and 2, monumented with an iron post, 1 in. diam., firmly set in a collar of stone, with brass cap mkd. as described in the field notes of T. 23^{1} / $_{2}$ N., R. 49 E., executed under Group No. 113, from which the original bearing trees
	A juniper, 18 ins. diam., bears N. $10^{1}/_{2}^{\circ}$ E., 285 lks. dist., no marks visible on nearly healed blaze. (Record tree, pinon pine)
	A pinon pine stump, 24 ins. diam., bears N. 2° W., 245 lks. dist., with illegible scribing on bottom of partially healed blaze.
	Add the marks "T23 $^1/_2$ N R49E 1998" to the brass cap.
	N. 0°01'00" W., bet. secs. 1 and 2.
	Over mountainous land, covered with medium juniper, pinon pine, scattered sagebrush, rabbitbrush, cacti and native grasses.
3.00	Fence, parallels improved gravel road.
4.10	Improved gravel road, bears irregularly ENE. and WSW.
5.60	Single wood pole power line, bears N. $62^{1}/_{2}^{\circ}$ E. and S. $62^{1}/_{2}^{\circ}$ W.
17.60	New fence built alongside old fence, bears N. 71° W. and S. 71° E.
19.20	Draw, drains E.
19.90	Spring branch, drains irregularly SE.
20.009	Point for the N $^{1}/_{16}$ sec. cor. of secs. 1 and 2.
	Set an aluminum post, 28 ins. long, $2^{1}/_{2}$ ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with aluminum cap mkd.
	N 1/16
	s 2 s 1
	1998
25.70	Rocky outcrop, bears E. and W.
29.50	Rocky spur, slopes S. 60° E.
41.198	Intersect the S. bdy. of sec. 35, T. 24 N., R. 49 E.
	The closing cor. of secs. 1 and 2, hereinbefore described.
	From this corner, the cor. of secs. 34 and 35 only, T. 24 N., R. 49 E., hereinbefore described, bears N. 89°30'00" W., 2.870 chs. dist.