

DEPENDENT RESURVEY OF THE EAST BOUNDARY, T. 26 S., R. 59 E., MOUNT DIABLO MERIDIAN, NEVADA

T. 26 S., R. 59 E., MOUNT DIABLO MERIDIAN, NEVADA	
CHAINS	T26S R59E R60E S 1 S 6
	S12 S 7
	2001
	Deposit the original corner monument alongside the stainless steel post.
	Raise a mound of stone west of the corner.
	N. 0°16'10" E., bet. secs. 1 and 6.
40.218	Point for the 1/4 sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	T26S
	R59E R60E 1/4
	S 1 S 6
	2001
	Raise a mound of stone west of the corner.
44.90	Power transmission line, NW-SE.
50.20	Power transmission line, NW-SE.
80.436	The cor. of Tps. 25 and 26 S., Rs. 59 and 60 E., monumented with an iron post, 2 1/2 ins. diam., projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of the 1992-96 resurvey executed by R.E. Williams under Group No. 702, and a mound of stone south of the corner.
	DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 26 S., R. 59 E., MOUNT DIABLO MERIDIAN, NEVADA
	Reestablishment of the Survey Executed by T.A. Magee in 1883
	From the cor. of secs. 1, 2, 35 and 36 on the south boundary of the Tp., hereinbefore described.
	N. 0°17'20" W., bet. secs. 35 and 36.
40.595	Point for the 1/4 sec. cor. of secs. 35 and 36, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.