	DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 22 S., R. 60 E., MOUNT DIABLO MERIDIAN, NEVADA
CHAINS	
20.871	The E 1/16 sec. cor. of secs. 6 and 7, identical with Angle Point No. 1 of the metes-and-bounds survey, monumented with a rebar, 5/8 in. diam., set flush with the surface of the ground, with aluminum cap mkd. RES PLS 9882. This monument was set by Thomas D. Montemayor in 1997 as shown on Record of Survey File 89, Page 28, on file in the office of the Clark County Recorder and is accepted as a careful and faithful reestablishment of the 1954-55 corner position.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	s 6
	E 1/16 = 5 7
	2003
	Deposit the rebar inside the stainless steel post.
	N. 89°39'20" W., beginning new measurement.
20.807	The 1/4 sec. cor. of secs. 6 and 7, monumented with an iron post, 2 1/2 ins. diam., set in a mound of stone, with brass cap mkd. as described in the field notes of the 1954-55 resurvey.
	DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISION-OF-SECTION LINES OF SECTION 6, T. 22 S., R. 60 E., MOUNT DIABLO MERIDIAN, NEVADA
	Reestablishment of the Survey Executed by P.K. Russell, Cadastral Surveyor, in 1957
	From the 1/4 sec. cor. of secs. 6 and 7.
	N. $0^{\circ}48'00"$ W., on the N-S center line of sec. 6.
11.937	Intersect line 2-3 of the metes-and-bounds survey, on curve concave southwesterly.
19.748	The center S 1/16 sec. cor., monumented with an iron post, 2 1/2 ins. diam., set in a collar of stone, with brass cap mkd. as described in the field notes of the 1957 survey.
	METES-AND-BOUNDS SURVEY IN SECTION 6, T. 22 S., R. 60 E., MOUNT DIABLO MERIDIAN, NEVADA
	From Angle Point No. 1 identical with the F 1/16 sec. cor. of

From Angle Point No. 1, identical with the E 1/16 sec. cor. of secs. 6 and 7, hereinbefore described.

N. 56°33'40" W., on line 1-2.