DEPENDENT RESURVEY OF A PORTION OF THE WEST BOUNDARY, T. 32 S., R. 65 E., MOUNT DIABLO MERIDIAN, NEVADA

	T. 32 S., R. 65 E., MOUNT DIABLO MERIDIAN, NEVADA
CHAINS	Reestablishment of a Portion of the Survey Executed by T.A. Magee in 1883
	Beginning at the cor. of secs. 19, 24, 25, and 30, determined at the center of a mound of stone (the iron post set by R.F. Wilson is no longer in existence), the mound contains a granite stone, 30x14x10 ins., mkd. T32S R65E S19 on NE, S30 on SE, S25 on SW, and S24 on NW sides.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, over a plastic-encased magnet and in a mound of stone, 4 ft. base, to top, with brass cap mkd.
	T32S R64E R65E S24 S19 S25 S30
	1997
	Deposit the original stone alongside the stainless steel post.
	N. 0°07'20" E., bet. secs. 19 and 24.
39.905	Point for the 1/4 sec. cor. of secs. 19 and 24, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.
	T32S R64E R65E 1/4 S24 S19
	1997
74.40	Underground telephone cable, NW-SE.
75.70	Underground gas pipeline, NW-SE.
76.70	Underground gas pipeline, NW-SE.
78.70	Underground gas pipeline, NW-SE.
79.810	Point for the cor. of secs. 13, 18, 19, and 24, at proportionate distance; there is no remaining evidence of the original corner.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet and in a collar of stone, with brass cap mkd.
	T32S R64E R65E S13 S18 S24 S19
	1997