

DEPENDENT RESURVEY OF THE FIRST STANDARD PARALLEL SOUTH,
THROUGH A PORTION OF RANGE 41 EAST,
MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor N.L. Berdan in 1882</p> <hr/> <p>From the stan. 1/4 sec. cor. of sec. 31, T. 4 S., R. 41 E., monumented with a granite stone, 16x10x4 ins., (Record, basalt, 13x8x7 ins.), firmly set, projecting 8 ins. above the ground, in a mound of stone, 2 ft. diam., 6 ins. high, mkd. SC on N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to solid rock, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">SC T4S R41E <u>1/4 S31</u></p> <p style="text-align: center;">2003</p> <p>Deposit the original corner monument alongside the stainless steel post.</p> <p>Cor. is S., 0.70 chs. dist., from a dirt road, 15 lks. wide, bears NW and SE.</p> <p>S. 89°20'20" W., on the S. bdy. of sec. 31.</p> <p>36.018 The closing cor. of Tps. 5 S., Rs. 40 and 41 E., hereinafter described.</p> <p>40.356 The stan. cor. of Tps. 4 S., Rs. 40 and 41 E., monumented with a basalt stone, 15x9x6 ins., firmly set, projecting 10 ins. above the ground, in a mound of stone, 2 ft. diam., 6 ins. high, dimly mkd. SC on N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 15 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">SC T4S R40E R41E <u>S36 S31</u></p> <p style="text-align: center;">2003</p> <p>Deposit the original corner monument alongside the stainless steel post.</p> <hr/>
--------	--