

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 6 S., R. 40 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T6S R40E S33 1/4 <u> </u> S 4 T7S</p> <p style="text-align: center;">2003</p> <p>Over rolling hills.</p> <p>56.10 Graveled road, 20 lks. wide, bears N. 33° E. and S. 33° W.</p> <p>80.308 The cor. of secs. 4, 5, 32 and 33, monumented with a basalt stone, 12x7x5 ins., (Record, 11x10x9 ins.), firmly set, projecting 8 ins. above the ground, with 4 grooves on one face and 1 groove on opposite face, in a mound of stone, 2 ft. diam., 1 ft. high.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T6S R40E S32 S33 <u> </u> <u> </u> S 5 S 4 T7S</p> <p style="text-align: center;">2001</p> <p>Deposit the original corner monument alongside the stainless steel post.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 6 S., R. 40 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor N.L. Berdan in 1882</p> <hr/> <p>From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., monumented with a rebar, 1/2 in. diam., firmly set, projecting 5 ins. above the ground, in a mound of stone, 2 ft. diam., 6 ins. high, alongside of which is a basalt stone, 14x4x3 ins., (Record, 16x8x7 ins.), laying loosely on ground, with 5 grooves on one face and 1 groove on opposite face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
--------	---