

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 30 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
42.60	Jeep trail, 20 lks. wide, bears NE. and SW.
51.10	Jeep trail, 20 lks. wide, bears NE. and SW.
54.40	Mine road, 30 lks. wide, bears SE. and NW.
58.518	Point for the W 1/16 sec. cor. of secs. 8 and 17.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.  <div style="text-align: center;"> <math display="block">W \frac{1}{16} \frac{S \ 8}{S17}</math> <p>2004</p> </div>
62.70	Ridge, bears N. and S.
78.024	The cor. of secs. 7, 8, 17 and 18.
<hr/> <p>SUBDIVISION OF SECTION 16, T. 30 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
	From the 1/4 sec. cor. of secs. 16 and 21.  N. 0°44'20" W., on the N-S center line of sec. 16.  Over nearly level land, covered with sagebrush and greasewood.
6.50	Wash, 20 lks. wide, drains SE.
20.158	Point for the C-S 1/16 sec. cor. of sec. 16. Not monumented.
22.60	Mine road, 30 lks. wide, bears SE. and NW.
40.20	Barbed wire fence, bears E. and W.
40.316	Point for the center 1/4 sec. cor. of sec. 16, at intersection with the E-W center line.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the ground, over a plastic-encased magnet, with brass cap mkd.  <div style="text-align: center;"> <p>T30N R19E C 1/4 S16</p> <p>2004</p> </div>
80.40	Barbed wire fence, bears E. and W.
80.759	The 1/4 sec. cor. of secs. 9 and 16.
<hr/> <p>From the 1/4 sec. cor. of secs. 15 and 16.  N. 89°29'20" W., on the E-W center line of sec. 16.</p>	