

DEPENDENT RESURVEY OF A PORTION OF THE
SUBDIVISION OF SECTION 29,
T. 19 S., R. 60 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

Reestablishment of a Portion of the Survey Executed by
Cadastral Surveyor P.K. Russell, in 1956 and 1957

From the center 1/4 sec. cor. of sec. 29, determined at record distance from reference monuments set by Stephen P. Gates, Nevada Professional Land Surveyor No. 13384, as recorded in Clark County, Nevada, File No. 108, Page 82 of Surveys, and is accepted as the best available evidence of the position of the monument set in 1956-57

A rebar, 5/8 in. diam., firmly set, with a 1-1/2 in. diam. aluminum cap, illegible, bears N. 43°53'30" E., 151.5 lks. (100.00 ft.) dist.

A rebar, 5/8 in. diam., firmly set, bears S. 43°56'40" W., 151.5 lks. (100.00 ft.) dist.

This location supported by ties from previous surveys.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 31 ins. in the ground, 3 ins. below the surface in a well monument casing at the intersection of Tropical Parkway and El Capitan Way, over plastic encased magnet, with brass cap mkd.

T19S R60E
C 1/4 S29

2006

from which new accessories

A brass tablet, 2 ins. diam., set in a concrete cylinder, 6 ins. diam., for a reference monument, bears N. 42°41'10" E., 104.6 lks. dist., mkd. RM C 1/4 69.04 FT TO COR S29 2006 and an arrow pointing to the corner.

A brass tablet, 2 ins. diam., set in a concrete cylinder, 6 ins. diam., for a reference monument, bears S. 42°01'10" E., 94.9 lks. dist., mkd. RM C 1/4 62.66 FT TO COR S29 2006 and an arrow pointing to the corner.

A brass tablet, 2 ins. diam., set in a concrete cylinder, 6 ins. diam., for a reference monument, bears S. 45°03'50" W., 97.3 lks. dist., mkd. RM C 1/4 64.24 FT TO COR S29 2006 and an arrow pointing to the corner.

A brass tablet, 2 ins. diam., set in a concrete cylinder, 6 ins. diam., for a reference monument, bears N. 44°37'00" W., 94.4 lks. dist., mkd. RM C 1/4 62.28 FT TO COR S29 2006 and an arrow pointing to the corner.