

340

METES-AND-BOUNDS SURVEY THROUGH
 SECTIONS 14, 22, 23, 27, 28 AND 33,
 T. 20 N., R. 31 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<div data-bbox="883 302 1008 380"> </div> <div data-bbox="915 407 979 432">2006</div> <hr/> <div data-bbox="449 491 1122 516">N. 11°48'50" W., beginning new measurement.</div> <div data-bbox="305 543 1386 569">17.274 Point for Angle Point No. 4, sec. 14, at point of curvature.</div> <div data-bbox="449 596 1455 674">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</div> <div data-bbox="883 709 1008 787"> </div> <div data-bbox="915 814 979 840">2006</div> <hr/> <div data-bbox="449 892 1406 970">Thence along the arc of a circular curve to the left having a radius of 98.67 ft.; the chord of said arc bears N. 50°51'48" W., 1.884 chs. dist.</div> <div data-bbox="321 997 1406 1050">2.038 Point for a witness point and intersection with the line bet. secs. 11 and 14.</div> <div data-bbox="449 1077 1455 1155">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</div> <div data-bbox="891 1184 1016 1274"> </div> <div data-bbox="915 1302 979 1327">2006</div> <hr/> <div data-bbox="570 1383 1341 1436">METES-AND-BOUNDS SURVEY IN SECTION 30, T. 20 N., R. 31 E., MOUNT DIABLO MERIDIAN, NEVADA</div> <hr/> <div data-bbox="449 1493 1455 1570">From the point for a witness point, at intersection with the apparent centerline of the existing improved gravel road and the line bet. secs. 30 and 31.</div> <div data-bbox="449 1598 1373 1650">Set a copper coated steel rod, 24 ins. long, 1/2 in. diam., 4 ins. below the surface of the ground, with brass cap mkd.</div> <div data-bbox="875 1680 1000 1791"> </div> <div data-bbox="915 1812 979 1837">2006</div>
--------	---