

DEPENDENT RESURVEY OF A PORTION OF THE
SUBDIVISION-OF-SECTION LINES OF SECTION 8,
T. 12 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>From the C-E-NE 1/64 sec. cor. of sec. 8, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above the ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 12 N., R. 29 E., executed under Group No. 635.</p> <p>N. 89°51'50" W., on the E-W center line of the NE1/4 of sec. 8.</p>
1.00	<p>Cor. of barbwire fences, with fences extending S. and W.</p> <p>Across level bladed field, along barbwire fence and irrigation ditch, drains E.</p>
9.678	<p>Point selected for the witness NE 1/16 sec. cor. of sec. 8,</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">WC</p> <p style="text-align: center;">←—NE 1/16 S 8</p> <p style="text-align: center;">2006</p>
10.072	True point for the NE 1/16 sec. cor. of sec. 8.
10.30	Cor. of barbwire fences, with fences extending E., S. and W.
19.90	Cor. of barbwire fences, with fences extending N. and E.
20.131	<p>The C-W-NE 1/64 sec. cor. of sec. 8, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above the ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 12 N., R. 29 E., executed by J.A. Mack under Group No. 635.</p> <p>Cor. is located 15 lks. S. of irrigation ditch, 15 lks. wide, 3 ft. deep, drains E.</p>
<p style="text-align: center;">SUBDIVISION OF SECTION 7, T. 12 N., R. 29 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
	<p>From the true point for the 1/4 sec. cor. of secs. 7 and 18.</p> <p>N. 0°13'30" E., on the N-S center line of sec. 7 and across the Walker River.</p>
1.10	Right bank of the Walker River bears NE. and SW.
3.20	Leave river cut, bears NW. and SE., continue across nearly level land, covered with scattered sagebrush and grasses.
19.930	<p>Point for the C-S 1/16 sec. cor. of sec. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>