## DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 24 S., R. 60 E., MOUNT DIABLO MERIDIAN, NEVADA

	T. 24 S., R. 60 E., MOUNT DIABLO MERIDIAN, NEVADA
CHAINS	Reestablishment of the Survey Executed by J.M. Brunt and W.H. Proctor, U.S. Deputy Surveyors, in 1881
	From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., hereinbefore described.
	N. 89°51'20" W., bet. secs. 1 and 12.
1.20	Wash, 50 lks. wide, drains S.
17.80	Wash, 30 lks. wide, drains SW.
39.706	Point for the 1/4 sec. cor. of secs. 1 and 12, at proportionate distance; there is no remaining evidence of the original cor.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, 2 ft. base, to top, with brass cap mkd.
	T24S R60E
	$1/4 \frac{S}{S12}$
	2007
51.30	Wash, 20 lks. wide, drains N. 40° W.
79.412	Point for the cor. of secs. 1, 2, 11 and 12, at proportionate distance; there is no remaining evidence of the original cor.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, 2 ft. base, to top, with brass cap mkd.
	T24S_R60E
	<u>S 2   S 1</u> S11   S12
	2007
	From this point, the cor. of secs. 11, 12, 13 and 14, bears S. 0°34'30" W., 74.604 chs. dist., monumented with a rebar of unknown origin, 5/8 in. diam., 24 ins. long, firmly set, projecting 6 ins. above the ground, with two pieces of rotted cedar post, each 2 ins. long, laying loose alongside. This is accepted as the best available evidence of the position of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.
	T24S R60E  S11 S12  S14 S13
	2007