

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 47 N., R. 52 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS

S 6 | S 5
C C
T47N R52E

2005

from which

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, over a plastic-encased magnet, in a fence bearing N. and S., 9 lks. W. of the cor. of fences extending S. and E., for a reference monument, bears S. 63°50' E., 48.3 lks. dist., with brass cap mkd. RM T47N R52E S5 31.9 FT TO COR 2005 and an arrow pointing to the corner.

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, over a plastic-encased magnet, in a fence bearing N. and S., 60 lks. S. of the cor. of fences extending S. and W., for a reference monument, bears S. 29°34' W., 59.8 lks. dist., with brass cap mkd. RM T47N R52E S6 39.5 FT TO COR 2005 and an arrow pointing to the corner.

From this cor., the original closing cor. of secs. 5 and 6 bears N. 0°03'40" W., 0.075 chs. dist., monumented with an iron post, 1 in. diam., firmly set flush with the surface of the ground, with brass cap mkd. as described in the field notes of the survey of T. 47 N., R. 52 E., executed under Instructions dated April 27, 1911. This cor. will now function as an amended closing cor. of secs. 5 and 6. Add the marks AM 2005 to the brass cap and drive the 1911 iron post 12 ins. below the surface of the ground.

From this same cor., the 109 Mile Post bears S. 89°41'10" E., 33.388 chs. dist., hereinbefore described.

DEPENDENT RESURVEY OF THE
SUBDIVISION-OF-SECTION LINES OF SECTION 2,
T. 47 N., R. 52 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by
U.S. Surveyor F.E. Joy in 1911

From the 1/4 sec. cor. of secs. 2 and 11.

N. 0°02'00" E., on the N. and S. center line of sec. 2.