

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,
T. 10 S., R. 62 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p>Reestablishment of the Survey Executed by U.S. Deputy Surveyors W.F. Benson and C.F. Putnam in 1881 and the Resurvey Executed by U.S. Transitmen H.G. Mason and E.R. Bunbury in 1916-1917</p> <hr/> <p>Beginning at the 1/4 sec. cor. of sec. 2 only, monumented with a porphyry stone, 18x10x8 ins., firmly set 4 ins. in the ground and in a small mound of stone, mkd. 1/4 on N. face, with a mound of stone, 3 1/2 ft. base, 1 1/2 ft. high, S. of cor.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;"> <u>T9S R62E</u> <u>1/4 S 2</u> T10S R62E 2007 </p> <p>Deposit the original stone alongside the stainless steel post. N. 89°29'20" W., on the N. bdy. of sec. 2.</p> <p>Ascend gradual SE. slope through creosote and scattered cacti.</p>
37.802	<p>The cor. of secs. 34 and 35, T. 9 S., R. 62 E., hereinafter described.</p>
40.868	<p>The cor. of secs. 2 and 3, monumented with a porphyry stone, 21x8x7 ins., firmly set in a small mound of stone, mkd. with 2 grooves on E. and 4 grooves on W. face, with a mound of stone, 3 ft. base, 2 ft. high, S. of cor.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;"> T9S R62E <u>S34</u> <u>S 3 S 2</u> T10S R62E 2005 </p> <p>Deposit the original stone alongside the stainless steel post.</p> <hr/> <p>N. 89°41'30" W., on the N. bdy. of sec. 3.</p> <p>Over rolling land through chaparral, Joshua and yucca, with very little grass.</p>
9.70	<p>Dry wash, 20 lks. wide, drains SE.</p>