

TOWNSHIP 22 SOUTH, RANGE 62 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>The NAD 1983 (CORS 96) geographic position of the cor. of Townships 22 and 23 South, Ranges 62 and 63 East, as determined from GPS static observations processed by the National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) LVWD LAS VEGAS VALLEY CORS ARP, NVLM AMS WT FACILITY CORS ARP and KING KINGMAN CORS ARP, in 2007, and carried forward by RTK observation is as follows:</p> <p>Latitude: 35°59'00.808" N. Longitude: 114°59'39.530" W.</p> <p>The 1989 mean magnetic declination is 13°30' E., as shown on U.S.G.S. 7 1/2 minute quadrangle map "SLOAN NE, NEVADA", provisional edition dated 1989.</p> <hr/> <p style="text-align: center;">DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY, T. 22 S., R. 62 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by T.A. Magee in 1883, a Portion of the Dependent Resurvey Executed by E. Voigt and J.W. Hardison in 1942-43, and a Portion of the Dependent Resurvey Executed by R.A. Zaninovich in 1999</p> <hr/> <p>From the 1/4 sec. cor. of secs. 3 and 34, monumented with an iron post, 1 in. diam., firmly set, projecting 8 ins. above a mound of stone, 4 ft. base, 2 ft. high, with brass cap mkd. as described in the field notes of the 1942-43 dependent resurvey executed under Group No. 336. Add the marks T22S T23S R62E 2008 on the brass cap.</p> <p>N. 89°45'10" W., bet. secs. 3 and 34.</p> <p>Over mountainous land.</p> <p>39.40 Ravine, drains N. 80° W.</p> <p>39.880 The cor. of secs. 3, 4, 33 and 34, reestablished by Richard R. Widmer, Nevada Professional Land Surveyor No. 12074, unrecorded, monumented with an iron pipe, 1 in. diam., firmly set in a mound of stone, 3 ft. base, to top, and is accepted as a careful and faithful reestablishment of the position of the 1942-43 corner, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 5px;">T22S</td> <td style="padding: 0 5px;">R62E</td> </tr> <tr> <td style="padding: 0 5px; border-right: 1px solid black;">S33</td> <td style="padding: 0 5px;">S34</td> </tr> <tr> <td style="padding: 0 5px; border-right: 1px solid black;">S 4</td> <td style="padding: 0 5px;">S 3</td> </tr> </table> <p>PLS 12074</p> </div> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., on bedrock, over a plastic-encased magnet, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p>	T22S	R62E	S33	S34	S 4	S 3
T22S	R62E						
S33	S34						
S 4	S 3						